


FKOAM/FM 14"-16"

O Aliaxis

Butterfly valve with bare shaft and PPH disc - ANSI 150



Technical specifications							
Construction	Bi-directional centric butterfly valve						
Size range	DN 350 - 400						
Nominal	DN 350: PN 7 with water at 20 °C						
pressure	DN 400: PN 6 with water at 20 °C						
Temperature	0 °C ÷ 100 °C						
range							
Coupling	Flanging system: ASTM B16.5 cl.150						
standards							
Reference	Construction criteria: EN ISO 16136, EN ISO 15494						
standards	Test methods and requirements: ISO 9393						
	Actuator couplings: ISO 5211						
Valve material	Body: PP-GR						
	Disk: PPH						
	Shaft: STAINLESS steel AISI 316						
Seal material	Liner: EPDM, FPM.						
Control options	Gearbox, pneumatic actuator, electric actuator						


KV100 FLOW COEFFICIENT

The Kv100 flow coefficient is the Q flow rate of litres per minute of water at a temperature of 20° C that will generate Δp = 1 bar pressure drop with the valve completely open.

400	350	DN
124.900	94.100	K _v 100 l/min

RELATIVE FLOW COEFFICIENT DIAGRAM

The relative flow coefficient is the flow rate through the valve as a function of the degree of valve aperture. completely open.



Percentage opening of the disk


(FIP)

FKOAM/FM 14"-16"

Butterfly valve with bare shaft and PPH disc - ANSI 150

OAliaxis

DIMENSIONS





Size	DN	PN	ØA	B1	B2	f	Н	U	Z	g	EPDM Code	FPM Code
14"	350	7	476,3	330	280	28,5	530	12	129	23000	FKOAMFM814E	FKOAMFM814F
16"	400	6	539,7	350	306	28,5	594	16	169	30100	FKOAMFM816E	FKOAMFM816F

U = Number of holesg = weight in grams

ACTUATOR MOUNTING FLANGE

The valve can be equipped with standard pneumatic or electric actuators and gearbox for heavy-duty operations, using a flange in PP-GR reproducing the drilling pattern provided for by standard ISO 5211.





Size	DN	J	ØP	ISO 5211	Т	Q	MAX TORQUE
14"	350	14-18	125 / 140	F12 / F14	29	27	480 Nm
16"	400	14-18	125 / 140	F12 / F14	29	27	625 Nm

FIP - Formatura Iniezione Polimeri S.p.A www.fipnet.com

Pag.2

Doc. DSEFKOAMFM_350-400 rev. 02/08/2016